INDEX TO VOLUME 41

AUTHORS INDEX

In the index, following the author's name, the title of the subject is given as it appeared in the JOURNAL.

A

ADAMS, J. M., BOAK, R. A., CARPENTER, C. M., FRENCH, J. D., KLEIN, S. J., PRESSMAN, J. J., AND SMITH, J. L. Prevention of paralytic poliomyelitis in tonsillectomized cynomolgus monkeys by human gamma globulin, 142

ADAMS, WILLIAM S. (*See* LESLIE, BLAHD, AND ADAMS), 865

AJELLO, LIBERO. (*See* SCHUBERT, AJELLO, STANFORD, AND GRANT), 91

ALLEN, GEORGE W., AND ATTYAH, ALBERT M. A rational approach to the problems of the coagulation time, 767

ALPEN, E. L. (*See* KUHL, SHELINE, AND ALPEN), 913

ALPER, T. (*See* BOTHWELL, VAN DOORN-WITTKAMPF, DU PREEZ, AND ALPER), 836

AMATUZIO, DONALD S. (*See* STUTZMAN AND AMATUZIO), 215

—, WEBER, LOWELL J., AND NESBITT, SAMUEL. Bilirubin and protein in the cerebrospinal fluid of jaundiced patients with severe liver disease and with and without hepatic coma, 615

ANDREWS, GOULD A. (*See* STEMBRIDGE, KNISELEY, AND ANDREWS), 760

ARGALL, C. I., BALL, J. M., AND TRENTELMAN, E. Presence of anti-D antibody in the serum of a D^u patient, 895

ATTYAH, ALBERT M. (*See* ALLEN AND ATTYAH), 767

—. (*See* FIELD, RAMSAY, ATTYAH, AND STARR), 208

B

BALCHUM, OSCAR J., HARTMAN, S. A., SLONIM, N. BALFOUR, DRESSLER, SIDNEY H., AND RAVIN, ABE. The permeability of the Douglas-type bag to respiratory gases, 268

BALL, J. M. (*See* ARGALL, BALL, AND TRENTELMAN), 895

BANNON, WILLIAM G., OWEN, CHARLES A., JR., AND BARKER, NELSON W. The comparative effects of menadione sodium bisulfite and vitamin K_1 on the hypoprothrombinemia induced by Dicumarol, 393

BARKER, NELSON W. (*See* BANNON, OWEN, AND BARKER), 393

BARNES, EDYTHE. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 428, 543

BASS, JOSEPH A. (*See* WRIGHT, DODD, BRANDT, ELLIOTT, AND BASS), 169

BAUER, WALTER. (*See* MULLER AND BAUER), 497

BEDO, ANDREW V. (*See* ODESSKY, ROSENBLATT, BEDO, AND LANDAU), 745

BEIERWALTES, WILLIAM H. (*See* JOHNSON AND BEIERWALTES), 676

BENNETT, IVAN L., JR., GUZE, LUCIEN B., AND ROBERTS, ELIZABETH. The effect of a bacterial pyrogen upon the experimental cardiovascular and renal lesions of anaphylactic hypersensitivity, 559

BERGDOLL, M. S. (*See* SURGALLA, BERGDOLL, AND DACK), 782

BIERMAN, H. R. (*See* LUCIA, HUNT, AND BIERMAN), 574

BIRD, R. B. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

BLAHD, WILLIAM H. (*See* LESLIE, BLAHD, AND ADAMS), 865

BLAW, MICHAEL. (*See* TALSO, SPAFFORD, AND BLAW), 281, 405

BLOCK, MATTHEW, JACOBSON, LEON O., AND NEAL, WILLIAM. Biological studies with arsenic.[76] IV. The histopathologic effect of arsenic[76] upon the hematopoietic tissues of patients with leukemia, 499

BLOEMENDAL, H. (*See* BONTING, SJOERD L.), 968

BLUEMLE, LEWIS W., JR., AND ELKINTON, J. RUSSELL. A stretcher-scale for the accurate weighing of bedridden patients, 300

BOAK, R. A. (*See* ADAMS, BOAK, CARPENTER, FRENCH, KLEIN, PRESSMAN, AND SMITH), 142

BOLENE-WILLIAMS, C. (*See* RODBARD, BOLENE-WILLIAMS, PICK, AND KATZ), 587

BOLLMAN, JESSE L. Extravascular diffusion of dextran from blood, 421

BOND, E. E. (*See* LAST, MCDONALD, JONES, AND BOND), 690

BONTING, SJOERD L. (With the technical assistance of Bloemendal, H.) Improved total base determination in serum, urine, and tissue ash by ion exchange, 968

BOTHWELL, T. H., VAN DOORN-WITTKAMPF, H. VAN W., DU PREEZ, M. L., AND ALPER, T. The absorption of iron. Radioiron studies in idiopathic hemochromatosis, malnutritional cytosiderosis, and transfusional hemosiderosis, 836

BOYD, ELDON M. (With the assistance of Delahaye, Joan K.) The neutralization of aminopterin-induced leukopenia by adenosin-5-phosphoric acid, 931

BOYLE, ALBERT J. (*See* ZLATKIS, ZAK, AND BOYLE), 486

BRANDT, NOREEN G. (*See* WRIGHT, DODD, BRANDT, ELLIOTT, AND BASS), 169

BRENNAN, B. B. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

BRINKHOUS, KENNETH M. (*See* LANGDELL, WAGNER, AND BRINKHOUS), 637

BRODSKY, WILLIAM A. (*See* MELLETTE, BRODSKY, AND PALMER), 963

— AND GRAUBARTH, HARRY N. Excretion of water and electrolytes in patients with essential hypertension, 43

BROH-KAHN, R. H. (*See* MIRSKY, FUTTERMAN, AND BROH-KAHN), 221

BROSENE, WILLIAM. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 543

BROWN, D. M. (*See* LAHEY, GUBLER, BROWN, SMITH, JAGER, CARTWRIGHT, AND WINTROBE), 829

BROWN, IVAN, W., JR. Photographic method for enumeration of Ashby and total red cell counts, 796

BRUNST, V. V., AND FIGGE, FRANK H. J. The influence of roentgen rays upon the development of the mouse by local irradiation of some parts of the body, 534

BURCH, G. E. (*See* LOVE AND BURCH), 258, 337, 351

BURDETTE, ROBIN I. (*See* PIKE, SULKIN, COGGESHALL, AND BURDETTE), 880

C

CARIKER, KOREN. (*See* MIYAHARA, CARIKER, AND CLAPPER), 550

CARPENTER, C. M. (*See* ADAMS, BOAK, CARPENTER, FRENCH, KLEIN, PRESSMAN, AND SMITH), 142

CARTWRIGHT, G. E. (*See* LAHEY, TUBLER, BROWN, SMITH, JAGER, CARTWRIGHT, AND WINTROBE), 829

CASTLE, WILLIAM B. (*See* WALLERSTEIN, HARRIS, SCHILLING, AND CASTLE), 363

CHAPARRO, M. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

CHAPIN, MARGARET. (*See* RABE AND SPICER), 98

CHASE, JOHN D. (*See* MADDOCK, CHASE, AND NELSON), 608

CHAUDHURI, S. N. (*See* KERBY AND CHAUDHURI, 632

—AND MARTIN, SAMUEL P. The migration and oxidation-reduction activity of leukocytes from patients with acute disseminated lupus erythematosus, 108

CHEN, GRAHAM, AND ENSOR, CHARLES R. The combined anticonvulsant activity and toxicity of Dilantin and N-methyl-5-phenylsuccinimide, 78

CHICOINE, ALICE. (*See* GORDON, MENEELY, CURRIE, AND CHICOINE), 133

CIMINERA, JOSEPH L. (*See* WASSERMAN, CIMINERA, HAYFLICK, AND VERWEY), 812

CLAPPER, WILLIAM E. (*See* MIYAHARA, CARIKER, AND CLAPPER), 550

CLARK, R. E. (*See* SHIPLEY AND CLARK), 179

COGGESHALL, HOWARD C. (*See* PIKE, SULKIN, COGGESHALL, AND BURDETTE), 880

COHEN, IRA B. (*See* VORZIMER, COHEN, AND JOSKOW), 220

COLE, LEON R. Recovery of Aureomycin from the gastrointestinal tract following intravenous administration, 670

COLVILLE, VIRGINIA F. (*See* ZARAFONETIS, OSTER, AND COLVILLE), 906

CORCORAN, A. C. (*See* DEL GRECO, OLMSTED, MASSON, AND CORCORAN), 729

COULTER, MOLLY P. (*See* FURTH, COULTER, MILLER, HOWLAND, AND SWISHER), 918

CREDITOR, MORTON C. The quantitative determination of plasma hemoglobin by the benzidine reaction, 307

CURBY, WILLIAM A. Device for collection of human parotid saliva, 493

CURRIE, GORDON D. (*See* GORDON, MENEELY, CURRIE, AND CHICOINE), 133

CURTIS, GEORGE M. (*See* MENDELSON, RUDY, AND CURTIS), 659

D

DACK, G. M. (*See* SURGALLA, BERGDOLL, AND DACK), 782

DARTER, L. AMY. Procedure for production of anti-sheep hemolysin, 653

DAVIES, DEAN F., WOLFE, KATHRYN M., AND PERRY, H. MITCHELL, JR. Studies on primary amines. I. Methods, 802

DAVIS, HARRY A., AND ISENBERG, LIONEL. An improved blood volume method (Evans blue dye) utilizable even in the presence of hemolysis and/or lipemia, 789

DELAHAYE, JOAN K. (*See* BOYD, ELDON M.), 931.

DEL GRECO, FRANCESCO, OLMSTED, FREDERICK, MASSON, G. M. C., AND CORCORAN, A. C. Graphic measurement of arterial pressure in the unanesthetized rat, 729

DILLE, JAMES M. (*See* HORITA AND DILLE), 166

DODD, MATTHEW C. (*See* WRIGHT, DODD, BRANDT, ELLIOTT, AND BASS), 169

DOYLE, JOSEPH T., WILSON, JOSEPH S., LÉPINE, CHARLES, AND WARREN, JAMES V. An evaluation of the measurement of the cardiac output and the so-called pulmonary blood volume by the dye-dilution method, 29

DRESSLER, SIDNEY H. (*See* BALCHUM, HARTMAN, SOLONIM, DRESSLER, AND RAVIN), 268

DU PREEZ, M. L. (*See* BOTHWELL, VAN DOORN-WITTKAMPF, DU PREEZ, AND ALPER), 836

E

EAGLE, HARRY, FLEISCHMAN, RALPH, AND LEVY, MINA. On the duration of penicillin action in relation to its concentration in the serum, 122

ELKINTON, J. RUSSELL. (*See* BLUEMLE AND ELKINTON), 300

ELLIOTT, S. MARGARET. (*See* WRIGHT, DODD, BRANDT, ELLIOTT, AND BASS), 169

ENSOR, CHARLES R. (*See* CHEN AND ENSOR), 78

ESPEY, FRANK F. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 428, 543

EVANS, JOSEPH P. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 428, 543

F

FALOON, WILLIAM W., NOLL, JOAN W., AND PRIOR, JOHN T. Nitrogen metabolism and liver histology during Aureomycin administration in patients with hepatic disease, 596

FIELD, JOHN B., RAMSAY, GEORGE D., ATTYAH, ALBERT M., AND STARR, PAUL. The effect in man of a new heparinoid, Treburon, 208

FIGGE, FRANK H. J. (*See* BRUNST AND FIGGE), 534

FLEISCHMAN, RALPH. (*See* EAGLE, FLEISCHMAN, AND LEVY), 122

FRANK, M. H. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

FRANK, N. ROBERT. (*See* GAENSLER, PATTON, AND FRANK), 456

FRENCH, P. D. (*See* ADAMS, BOAK, CARPENTER, FRENCH, KLEIN, PRESSMAN, AND SMITH), 142

FREY, W. A. (*See* GREENMAN, FREY, LEWIS, SAKOL, AND DANOWSKI), 236

FURCOLOW, MICHAEL L. (*See* LARSH, HINTON, AND FURCOLOW), 478

FURTH, FRANK W., COULTER, MOLLY P., MILLER, ROBERT W., HOWLAND, JOE W., AND SWISHER, SCOTT N. The treatment of the acute radiation syndrome in dogs with Aureomycin and whole blood, 918

FUTTERMAN, PERRY. (*See* MIRSKY, FUTTERMAN, AND BROH-KAHN), 221

G

GAENSLER, EDWARD A., PATTON, WILLIAM E., AND FRANK, N. ROBERT. Bronchospirometry. VII. Indications, 456

—, WATSON, T. RICHARD, JR., AND PATTON, WILLIAM E. Bronchospirometry. VI. Results of 1,089 examinations, 436

GALEN, WILLIAM P. (*See* JOHNSON, SHAW, GALEN, AND HOLLEY), 287

GARDNER, FRANK H. The use of cobaltous chloride in the anemia associated with chronic renal disease, 56

GORDON, IRVING, MENEELY, JOHN K., JR., CURRIE, GORDON D., AND CHICOINE, ALICE. Clinical laboratory studies in experimentally-induced epidemic nonbacterial gastroenteritis, 133

GORDON, ROBERT B., KRAFT, SUMNER C., AND JONES, RICHARD J. The effect of a brain fraction on serum cholesterol and the serum lipid pattern, 583

GRAHAM, DAVID T. (*See* LORENZ, GRAHAM, AND WOLF), 11

GRAHAM, GERALD. (*See* KAPLAN, SCHLICHTER, GRAHAM, AND MILLER), 697

GRANT, VIRGINIA Q. (*See* SCHUBERT, AJELLO, STANFORD, AND GRANT), 91

GRAUBARTH, HARRY N. (*See* BRODSKY AND GRAUBARTH), 43

GREENMAN, LAWRENCE, FREY, W. A., LEWIS, R. E., SAKOL, M. J., AND DANOWSKI, T. S. Biochemical changes in serum and feces during ingestion of carboxylic, sulfonic, and anion exchange resins, 236

GRIFFITHS, LOUIS L. The electrophoresis of serum and other body fluids in filter paper, 188

GUBLER, C. J. (*See* LAHEY, GUBLER, BROWN, SMITH, JAGER, CARTWRIGHT, AND WINTROBE), 829

GUZE, LUCIEN B. (*See* BENNETT, GUZE, AND ROBERTS), 559

H

HARRIS, JOHN W. (*See* WALLERSTEIN, HARRIS, SCHILLING, AND CASTLE), 363

HARTMAN, S. A. (*See* BALCHUM, HARTMAN, SLONIM, DRESSLER, AND RAVIN), 268

HAYFLICK, LEONARD. (*See* WASSERMAN, CIMINERA, HAYFLICK, AND VERWEY), 812

HEINLE, ROBERT T. (*See* MEACHAM AND HEINLE), 65

HENRIOULLE, E. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

HERNANDEZ-PEON, R. (*See* PEREZ-TAMAYO AND HERNANDEZ-PEON), 871

HIATT, EDWIN P. (*See* STRAUGHN, TRAVIS, AND HIATT), 157

HILL, EARL. (*See* ZIEVE, HILL, SCHWARTZ, AND WATSON), 663

HINTON, AGNES. (*See* LARSH, HINTON, AND FURCOLOW), 478

HOFFMAN, M. C. Radioactive iodine-labeled fat, 521

HOLLEY, HOWARD L. (*See* JOHNSON, SHAW, GALEN, AND HOLLEY), 287

HORITA, AKIRA, AND DILLE, JAMES M. An accumulating impulse counter, 166

HOWER, JEAN. (*See* LEVEY, HOWER, AND LOUGHRIDGE), 316

HOWLAND, JOE W. (*See* FURTH, COULTER, MILLER, HOWLAND, AND SWISHER), 918

HUNT, M. L. (*See* LUCIA, HUNT, AND BIERMAN), 574

I

ICHIKAWA, TOYOKI. (*See* YASUMA AND ICHIKAWA), 296

ISENBERG, LIONEL. (*See* DAVIS AND ISENBERG), 789

IZZO, MARY JANE. (*See* SWISHER AND IZZO), 953

—. (*See* SWISHER, IZZO, AND YOUNG), 936, 946

J

JACKSON, JOAN. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 428, 543

JACOBSON, LEON O. (*See* BLOCK, JACOBSON, AND NEAL), 499

JAGER, B. V. (*See* LAHEY, TUBLER, BROWN, SMITH, JAGER, CARTWRIGHT, AND WINTROBE), 829

JOHNSON, LOUIS L., SHAW, CARLETON W., GALEN, WILLIAM P., AND HOLLEY, HOWARD L. Cerebrospinal fluid sodium values in essential hypertension, 287

JOHNSON, PHILIP C., AND BEIERWALTES, WILLIAM H. The urinary and fecal excretion of I^{131} from labeled sodium-1-thyroxine in various thyroid states and in euthroids with "bile fistulas," 676

JONES, FLORENCE L. (*See* MANDEL AND JONES), 323

JONES, RICHARD A. (*See* LAST, MCDONALD, JONES, AND BOND), 690

JONES, RICHARD J. (*See* GORDON, KRAFT, AND JONES), 583

JOSKOW, JULES. (*See* VORZIMER, COHEN, AND JOSKOW), 220

K

KAITZ, ALAN L., KASS, EDWARD H., MACMILLAN, WILLIAM H., AND TAYLOR, F. H. LASKEY. The estimation of gamma-globulins in normal and myelomatous plasmas by chemical fractionation, 248

KAMITSUKA, PAUL. (*See* MILLER, WILSON, AND KAMITSUKA), 335

KAPLAN, ALEX, AND NARAHARA, ASAKO. The determination of serum acid phosphatase activity, 825

— AND —. The determination of serum alkaline phosphatase activity, 819

KAPLAN, BENJAMIN M., SCHLICHTER, JAKUB G., GRAHAM, GERALD, AND MILLER, GEORGE. Idiopathic congenital dilation of the pulmonary artery, 697

KAPLOW, LEONARD. (*See* SIMS AND KAPLOW), 303

KASS, EDWARD H. (*See* KAITZ, KASS, MACMILLAN, AND TAYLOR), 248

KATZ, L. N. (*See* RODBARD, BOLENE-WILLIAMS, PICK, AND KATZ), 587

KEITH, BRADLEY. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

KERBY, GRACE P., AND CHAUDHURI, S. N. Plasma levels and the release of a lysozyme-like enzyme from tuberculin-exposed leukocytes of tuberculous and nontuberculous human beings, 632

KIMBELL, FARISS D. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 428, 543

KLEIN, S. J. (*See* ADAMS, BOAK, CARPENTER, FRENCH, KLEIN, PRESSMAN, AND SMITH), 142

KNISELEY, RALPH M. (*See* STEMBRIDGE, KNISELEY, AND ANDREWS), 760

KOMNINOS, ZACHARIAS D., AND ROSENTHAL, MARTIN C. Studies on antibodies eluted from the red cells in autoimmune hemolytic anemia, 887

KRAFT, SUMNER C. (*See* GORDON, KRAFT, AND JONES), 583

KREMEN, S. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

KUHL, P. R., SHELINE, G. E., AND ALPEN, E. L. Strontium sulfide depilation of rat skin and the effect of lanolin on depilated skin, 913

KUNKEL, HENRY G. (*See* SLATER AND KUNKEL), 619

KUPERMAN, I. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, AND KUPERMAN), 708

L

LAHEY, M. E., GUBLER, C. J., BROWN, D. M., SMITH, E. L., JAGER, B. V., CARTWRIGHT, G. E., AND WINTROBE, M. M. Studies on copper metabolism. VIII. The correlation between the serum copper level and various serum protein fractions, 829

LAMB, DORIS. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 428, 543

LANDAU, LARRY. (*See* ODESSKY, ROSENBLATT, BEDO, AND LANDAU), 745

LANGDELL, ROBERT D., WAGNER, ROBERT H., AND BRINKHOUS, KENNETH M. Effect of antihemophilic factor on one-stage clotting tests, 637

LANGE, ROBERT D. (*See* SPRAGUE, SHAPLEIGH, MAYES, LANGE, AND MOORE), 84

LARRIEU, M. J. (*See* SOULIER AND LARRIEU), 849

LARSH, HOWARD W., HINTON, AGNES, AND FURCOLOW, MICHAEL L. Laboratory studies of Histoplasma capsulatum. III. Efficiency of the flotation method in isolation of Histoplasma capsulatum from soil, 478

LASSELIN-EFROS, S. (*See* SOULIER AND LARRIEU), 849

LAST, JULES H., MCDONALD, GERALD O., JONES, RICHARD A., AND BOND, E. E. Failure to account quantitatively for infused inulin in human subjects, 690

LAZARUS, SYDNEY S. (*See* VOLK AND LAZARUS), 684

LÉPINE, CHARLES. (*See* DOYLE, WILSON, LÉPINE, AND WARREN), 29

LESLIE, ALAN, BLAHD, WILLIAM H., AND ADAMS, WILLIAM S. The effect of prolonged administration of epinephrine on adrenal cortical function and epinephrine tolerance in chronic asthmatics, 865

LEVEY, STANLEY, HOWER, JEAN, AND LOUGHRIDGE, RUTH H. Laboratory factors influencing the determination of plasma volume using human albumin tagged with I^{131}, 316

LEVINSKY, WALTER J., SHUMAN, CHARLES R., ROBBINS, ROBERT, AND MESZAROS, JEAN. The effect of heparin on the formation of P^{32}-labeled phospholipid, 899

LEVY, MINA. (*See* EAGLE, FLEISCHMAN, AND LEVY), 122

LEWIS, R. E. (*See* GREENMAN, FREY, LEWIS, SAKOL, AND DANOWSKI), 236

LIESE, GROVER J. (*See* WASHBURN AND LIESE), 199

LORENZ, THOMAS H., GRAHAM, DAVID T., AND WOLF, STEWART. The relation of life stress and emotions to human sebum secretion and to the mechanism of acne vulgaris, 11

LOUGHRIDGE, RUTH H. (*See* LEVEY, HOWER, AND LOUGHRIDGE), 316

LOVE, WILLIAM D., AND BURCH, GEORGE E. A comparison of potassium,[42] rubidium,[86] and cesium[134] as tracers of potassium in the study of cation metabolism of human erythrocytes in vitro, 351

— AND —. In vitro studies of aspects of the metabolism of sodium by human erythrocytes using sodium, 337

— AND —. Plasma and erythrocyte sodium and potassium concentrations in a group of southern white and Negro blood donors, 258

LUCIA, S. P., HUNT, M. L., AND BIERMAN, H. R. The influence of antihistaminic agents on erythrocyte agglutination and related phenomena, 574

LYTLE, RALPH I., AND WOOLRIDGE, ROBERT L. Purification and stabilization of influenza virus antigens for use in hemagglutination-inhibition or complement fixation antibody titrations, 290

Mc

MACMILLAN, WILLIAM H. (*See* KAITZ, KASS, MACMILLAN, AND TAYLOR), 248

MCCARTHY, MILES D., AND NEWLIN, NANCY. The range of efficacy of sodium chloride solutions in treating severe thermal injury to the rat, 416

MCDONALD, GERALD O. (*See* LAST, MCDONALD, JONES, AND BOND), 690

M

MADDOCK, WILLIAM O., CHASE, JOHN D., AND NELSON, WARREN O. The effects of large doses of cortisone on testicular morphology and urinary gonadotrophin, estrogen, and 17-ketosteroid excretion, 608

MAN, EVELYN B., AND PETERS, JOHN P. Variations of serum lipids with age, 738

MANDEL, EMANUEL E., AND JONES, FLORENCE L. Studies in nonprotein nitrogen. III. Evaluation of methods measuring creatinine, 323

MANKIN, JAMES W. The effect of gastric acidity on the absorption of quinidine sulfate from the gastrointestinal tract, 929

MARTIN, SAMUEL P. (*See* CHAUDHURI AND MARTIN, 108

MASSON, G. M. C. (*See* DEL GRECO, OLMSTED, MASSON, AND CORCORAN), 729

MAY, CHARLES D. (*See* SALMON AND MAY), 376

MAYES, SUE. (*See* SPRAGUE, SHAPLEIGH, MAYES, LANGE, AND MOORE), 84

MEACHAM, GORDON C., AND HEINLE, ROBERT W. Maintenance therapy of pernicious anemia with vitamin B_{12}, 65

Mellette, Susan J., Brodsky, William A., and Palmer, Lee, Jr. A rapid modification of the Brucine method for determination of nitrates in biological fluids, 963

Mendelson, Janice A., Rudy, Richard Lee, and Curtis, George M. A method for the determination of the effect of hypothyroidism on gastric motility in the dog, 659

Meneely, John K., Jr. (*See* Gordon, Meneely, Currie, and Chicoine), 133

Meszaros, Jean. (*See* Levinsky, Shuman, Robbins, and Meszaros), 899

Miller, C. Arden, Wilson, James C., and Kamitsuka, Paul. A method for bleeding monkeys using an intra-aortic polyethylene catheter, 335

Miller, George. (*See* Kaplan, Schlichter, Graham, and Miller), 697

Miller, Robert W. (*See* Furth, Coulter, Miller, Howland, and Swisher), 918

Mirsky, I. Arthur, Futterman, Perry, and Broh-Kahn, R. H. The quantitative measurement of vibratory perception in subjects with and without diabetes mellitus, 221

Miyahara, Ben T., Cariker, Koren, and Clapper, William E. Cross-resistance in staphylococci and the effect of combinations of antibiotics on resistant strains, 550

Moore, Carl V. (*See* Sprague, Shapleigh, Mayes, Lange, and Moore), 84

Motulsky, Arno G., and Rohn, Robert J. The bone marrow in metastatic malignant melanoma, 526

Muller, Alex F., and Bauer, Walter. A new method for preparing a highly purified uricase suitable for uric acid determination by ultraviolet spectrophotometry, 497

Myers, Sara M. (*See* Sobel and Myers), 655

N

Narahara, Asako. (*See* Kaplan and Narahara), 819, 825

Neal, William. (*See* Block, Jacobson, and Neal), 499

Needham, Gerald M., and Nichols, Donald R. Recent changes in sensitivity of Micrococcus pyogenes to various antibiotic agents, 150

Nelson, Warren O. (*See* Maddock, Chase, and Nelson), 608

Nesbitt, Samuel. (*See* Amatuzio, Weber, and Nesbitt), 615

Newlin, Nancy. (*See* McCarthy and Newlin), 416

Nichols, Donald R. (*See* Needham and Nichols), 150

Noll, Joan W. (*See* Faloon, Noll, and Prior), 596

O

Odessky, Louis, Rosenblatt, Phillip, Bedo, Andrew V., and Landau, Larry. Cerebrospinal fluid inorganic phosphorus in normal individuals and in those with viral involvement of the central nervous system, 745

Olmsted, Frederick. (*See* del Greco, Olmsted, Masson, and Corcoran), 729

Oster, H. L. (*See* Zarafonetis, Oster, and Colville), 906

O'Sullivan, Michael. Rapid determination of urinary sodium, 959

Owen, Charles A., Jr. (*See* Bannon, Owen, and Barker), 393

P

Palmer, Lee, Jr. (*See* Mellette, Brodsky, and Palmer), 963

Patton, William E. (*See* Gaensler, Patton, and Frank), 456

—. (*See* Gaensler, Watson, and Patton), 436

Penka, Ernest J. (*See* Ryder, Espey, Kimbell, Penka, Rosenauer, Podolsky, and Evans), 428, 543

Perez-Tamayo, R., and Hernandez-Peon, R. Intrarenal vascular responses to sympathetic stimulation and to adrenalin, 871

Perry, H. Mitchell, Jr. (*See* Davies, Wolfe, and Perry), 802

—. A method of quantitating 1-hydrazinophthalazine in body fluids, 566

Peters, John P. (*See* Man and Peters), 738

Pick, R. (*See* Rodbard, Bolene-Williams, Pick, and Katz), 587

Pike, Robert M., Sulkin, S. Edward, Coggeshall, Howard C., and Burdette, Robin I. Serological reactions in rheumatoid arthritis. IV. Persistence of the serum factor which agglutinates sensitized sheep cells, 880

Podolsky, Boris. (*See* Ryder, Espey, Kimbell, Penka, Rosenauer, Podolsky, and Evans), 428, 543

Pressman, J. J. (*See* Adams, Boak, Carpenter, French, Klein, Pressman, and Smith), 142

Prior, John T. (*See* Faloon, Noll, and Prior), 596

R

Rabe, Edward F., and Spicer, William S., Jr. (With the technical assistance of Chapin, Margaret.) An evaluation of the Middlebrook-Dubos hemagglutination test, 98

Ramsay, George D. (*See* Field, Ramsay, Attyah, and Starr), 208

Randt, Clark T. (*See* Rowland and Randt), 754

RAVIN, ABE. (*See* BALCHUM, HARTMAN, SLONIM, DRESSLER, AND RAVIN), 268

ROBBINS, ROBERT. (*See* LEVINSKY, SHUMAN, ROBBINS, AND MESZAROS), 899

ROBERTS, ELIZABETH. (*See* BENNETT, GUZE, AND ROBERTS), 559

RODBARD, S., BOLENE-WILLIAMS, C., PICK, R., AND KATZ, L. N. The beneficial effects of intermittent dietary regimes on the tendency to atherosclerosis, 587

ROHN, ROBERT J. (*See* MOTULSKY AND ROHN), 526

ROSENAUER, ADOLF. (*See* RYDER, ESPEY, KIMBELL, PENKA, ROSENAUER, PODOLSKY, AND EVANS), 428, 543

ROSENBLATT, PHILLIP. (*See* ODESSKY, ROSENBLATT, BEDO, AND LANDAU), 745

ROSENTHAL, MARTIN C. (*See* KOMNINOS AND ROSENTHAL), 887

ROWLAND, VERNON, AND RANDT, CLARK T. Blood cerebrospinal fluid barrier in multiple sclerosis during ACTH administration, 754

RUDY, RICHARD LEE. (*See* MENDELSON, RUDY, AND CURTIS), 659

RUTMAN, JULIA Z. Method for the determination of acetone in two-tenths milliliter of blood, 648

RYDER, HENRY W., ESPEY, FRANK F., KIMBELL, FARISS D., PENKA, ERNEST J., ROSENAUER, ADOLF, PODOLSKY, BORIS, AND EVANS, JOSEPH P. (With the technical assistance of LAMB, DORIS, BARNES, EDYTHE, JACKSON, JOAN, AND BROSENE, WILLIAM.) The mechanism of the effect of changes in blood osmotic pressure of the cerebrospinal fluid pressure, 543

—, —, —, —, —, —, AND —. (With the technical assistance of LAMB, DORIS, BARNES, EDYTHE, JACKSON, JOAN, AND BROSENE, WILLIAM.) The mechanism of the change in cerebrospinal fluid pressure following an induced change in the volume of the fluid space, 428

S

SAKOL, M. J. (*See* GREENMAN, FREY, LEWIS, SAKOL, AND DANOWSKI), 236

SALMON, ROBERT J., AND MAY, CHARLES D. Further studies on the metabolism of L-tyrosine in scorbutic monkeys, 376

SCHILLING, ROBERT F. (*See* WALLERSTEIN, HARRIS, SCHILLING, AND CASTLE), 363

SCHLICHTER, JAKUB G. (*See* KAPLAN, SCHLICHTER, GRAHAM, AND MILLER), 697

SCHUBERT, JOSEPH H. A study of the rapid slide agglutination test for brucellosis and a comparison with the tube agglutination test, 776

—, AJELLO, LIBERO, STANFORD, SARAH, AND GRANT, VIRGINIA Q. Variation in complement fixation antigen production by different strains of Histoplasma capsulatum grown on two media, 91

SCHUCHARDT, GRACE S. (*See* TILLSON AND SCHUCHARDT), 312

SCHWARTZ, SAMUEL. (*See* ZIEVE, HILL, SCHWARTZ, AND WATSON), 663

SHAPLEIGH, JOHN B. (*See* SPRAGUE, SHAPLEIGH, MAYES, LANGE, AND MOORE), 84

SHAW, CARLETON W. (*See* JOHNSON, SHAW, GALEN, AND HOLLEY), 287

SHELINE, G. E. (*See* KUHL, SHELINE, AND ALPEN), 913

SHERRILL, JAMES W., AND WICK, ARNE N. Effect of prolonged administration of radioactive zinc^{65} on the pancreas, 40

SHIPLEY, R. A., AND CLARK, R. E. Performance of a sodium iodide scintillation counter in measurement of I^{131} uptake by the thyroid, 179

SHUMAN, CHARLES R. (*See* LEVINSKY, SHUMAN, ROBBINS, AND MESZAROS), 899

SIMS, ETHAN A. H., AND KAPLOW, LEONARD. Exclusion of air-borne contamination in flame photometry, 303

SKOM, J. H. (*See* WAKERLIN, BIRD, BRENNAN, FRANK, KREMEN, KUPERMAN, AND SKOM), 708

SLATER, ROBERT J., AND KUNKEL, HENRY G. Filter paper electrophoresis with special reference to urinary proteins, 619

SLONIM, N. BALFOUR. (*See* BALCHUM, HARTMAN, SLONIM, DRESSLER, AND RAVIN), 268

SMITH, E. L. (*See* LAHEY, GUBLER, BROWN, SMITH, JAGER, CARTWRIGHT, AND WINTROBE), 829

SMITH, J. L. (*See* ADAMS, BOAK, CARPENTER, FRENCH, KLEIN, PRESSMAN, AND SMITH), 142

SOBEL, HARRY, AND MYERS, SARA M. A simplified method for the determination of amylase activity in serum and urine using glycogen and the anthrone reagent, 655

SOULIER, J. P., AND LARRIEU, M. J. (With the technical assistance of LASSELIN-EFROS, S.) Measurement of thromboplastic factors and profactors in plasma. I. Deficits in thromboplastin. Study of reagents. Measurements of antihemophilic and of platelet activities, 849

SPAET, THEODORE H. Identification of abnormal hemoglobins by means of paper electrophoresis, 161

SPAFFORD, NORMA. (*See* TALSO, SPAFFORD, AND BLAW), 281, 405

SPICER, WILLIAM S., JR. (*See* RABE AND SPICER), 98

SPRAGUE, CHARLES C., SHAPLEIGH, JOHN B., MAYES, SUE, LANGE, ROBERT D., AND MOORE, CARL V. Post-transfusion survival of erythrocytes stored in solution of ethylenediamine tetraacetic acid and dextrose, 84

STANFORD, SARAH. (*See* SCHUBERT, AJELLO, STANFORD, AND GRANT), 91

STARR, PAUL. (*See* FIELD, RAMSAY, ATTYAH, AND STARR), 208

STEMBRIDGE, VERNIE A., KNISELEY, RALPH M., AND ANDREWS, GOULD A. Cellular changes in effusions following intracavitary administration of colloidal Au^{198} in human beings, 760

STRAUGHN, WILLIAM R., TRAVIS, INEZ GREENE, AND HIATT, EDWIN P. Quantitative determination of nitrate by enzymic reduction to nitrite, 157

STUTZMAN, FRANCIS L., AND AMATUZIO, DONALD S. Blood serum magnesium in portal cirrhosis and diabetes mellitus, 215

SULKIN, S. EDWARD. (*See* PIKE, SULKIN, COGGESHALL, AND BURDETTE), 880

SURGALLA, M. J., BERGDOLL, M. S., AND DACK, G. M. Some observations on the assay of staphylococcal enterotoxin by the monkey-feeding test, 782

SWISHER, SCOTT N. (*See* FURTH, COULTER, MILLER, HOWLAND, AND SWISHER), 918

— AND IZZO, MARY JANE. A photographic method of recording red cell counts, 953

—, —, AND YOUNG, LAWRENCE E. A method of quantitative differential agglutination of dog erythrocytes, 936

—, —, AND —. Post-transfusion survival of fresh and stored dog erythrocytes measured by differential agglutination, 946

T

TALSO, PETER J., SPAFFORD, NORMA, AND BLAW, MICHAEL. The metabolism of water and electrolytes in congestive heart failure. I. The electrolyte and water content of normal human skeletal muscle, 281

—, —, AND —. The metabolism of water and electrolytes in congestive heart failure. II. The distribution of water and electrolytes in skeletal muscle in edematous patients with congestive heart failure before and after treatment, 405

TAYLOR, F. H. LASKEY. (*See* KAITZ, KASS, MACMILLAN, AND TAYLOR), 248

THOMPSON, LAWRENCE D. Early history of the Central Society for Clinical Research, 3

TILLSON, ELIZABETH K., AND SCHUCHARDT, GRACE S. The determination of creatinine in plasma and urine in the presence of large amounts of phenol red, 312

TRAVIS, INEZ GREENE. (*See* STRAUGHN, TRAVIS, AND HIATT), 157

TRENTELMAN, E. (*See* ARGALL, BALL, AND TRENTELMAN), 895

V

VAN DOORN-WITTKAMPF, H. VAN W. (*See* BOTHWELL, VAN DOORN-WITTKAMPF, DU PREEZ, AND ALPER), 836

VERWEY, W. F. (*See* WASSERMAN, CIMINERA, HAYFLICK, AND VERWEY), 812

VOLK, BRUNO W., AND LAZARUS, SYDNEY S. The effect of varying insulin dosage on the rate of decline of the blood sugar in the modified glucose insulin tolerance test, 684

VORZIMER, JEFFERSON J., COHEN, IRA B., AND JOSKOW, JULES. Further observations on the use of the urinary pigment-creatinine ratio for the measurement of basal metabolic rate, 220

W

WAGNER, ROBERT H. (*See* LANGDELL, WAGNER, AND BRINKHOUS), 637

WAKERLIN, G. E., BIRD, R. B., BRENNAN, B. B., FRANK, M. H., KREMEN, S., KUPERMAN, I., AND SKOM, J. H. (With the technical assistance of HENRIOULLE, E., CHAPARRO, M., AND KEITH, BRADLEY.) Treatment and prophylaxis of experimental renal hypertension with "Renin," 708

WALLERSTEIN, RALPH O., HARRIS, JOHN W., SCHILLING, ROBERT F., AND CASTLE, WILLIAM B. Observations on the etiologic relationship of Achylia gastrica to pernicious anemia. XV. Hematopoietic effects of simultaneous intravenous and of simultaneous or serial oral administration of intrinsic factor and vitamin B_{12}, 363

WARREN, JAMES V. (*See* DOYLE, WILSON, LÉPINE, AND WARREN), 29

WASHBURN, STEPHEN L., AND LIESE, GROVER J. The cholesterol content and iodine number of human sebum, 199

WASSERMAN, AARON E., CIMINERA, JOSEPH L., HAYFLICK, LEONARD, AND VERWEY, W. F. The quantitative determination of streptokinase, 812

WATSON, CECIL J. (*See* ZIEVE, HILL, SCHWARTZ, AND WATSON), 663

WATSON, T. RICHARD, JR. (*See* GAENSLER, WATSON, AND PATTON), 436

WEBER, LOWELL J. (*See* AMATUZIO, WEBER, AND NESBITT), 615

WEINER, DAVID. The role of cold hemagglutinins in frostbite, 114

WHITE, WILLIAM E. The rate of formation of nondiffusible (organic) fraction of I^{131} in plasma correlated with apparent thyroid state, 516

WICK, ARNE N. (*See* SHERRILL AND WICK), 40

WILSON, JAMES C. (*See* MILLER, WILSON, AND KAMITSUKA), 335

WILSON, JOSEPH S. (*See* DOYLE, WILSON, LÉPINE, AND WARREN), 29

WINN, JOHN F. A method of shell freezing, utilizing the standard dental motor with a flexible shaft, 973

WINTROBE, M. M. (*See* LAHEY, GUBLER, BROWN, SMITH, JAGER, CARTWRIGHT, AND WINTROBE), 829

WOLF, STEWART. (*See* LORENZ, GRAHAM, AND WOLF), 11

WOLFE, KATHRYN M. (*See* DAVIES, WOLFE, AND PERRY), 802

WOOD, W. BARRY, JR. Teachers of medicine, 6

WOOLRIDGE, ROBERT L. (*See* LYTLE AND WOOLRIDGE), 290

WRIGHT, CLAUDE-STARR, DODD, MATTHEW C., BRANDT, NOREEN G., ELLIOTT, S. MARGARET, AND BASS, JOSEPH A. Erythrophagocytosis: Standardization of a quantitative tissue culture test and its application to hemolytic, malignant, and infectious diseases, 169

Y

YASUMA, AKIYASU, AND ICHIKAWA, TOYOKI. Ninhydrin-Schiff and alloxan-Schiff staining. A new histochemical staining method for protein, 296

YOUNG, LAWRENCE E. (*See* SWISHER, IZZO, AND YOUNG), 936, 946

Z

ZAK, BENNIE. (*See* ZLATKIS, ZAK, AND BOYLE), 486

ZARAFONETIS, C. J. D., OSTER, H. L., AND COLVILLE, VIRGINIA F. Cold agglutination of sheep erythrocytes as a factor in false-positive heterophile agglutination tests, 906

ZIEVE, LESLIE, HILL, EARL, SCHWARTZ, SAMUEL, AND WATSON, CECIL J. Normal limits of urinary coproporphyrin excretion determined by an improved method, 663

ZLATKIS, ALBERT, ZAK, BENNIE, AND BOYLE, ALBERT J. A new method for the direct determination of serum cholesterol, 486

SUBJECT INDEX

A

Abscess, lung, unilateral pulmonary insufficiency due to, 446

Absorption of iron; radioiron studies in idiopathic hemochromatosis, malnutritional cytosiderosis, and transfusional hemosiderosis, 836

of quinidine sulfate from gastrointestinal tract, effect of gastric acidity on, 929

Accumulating impulse counter, 166

Acetone, determination of, in two-tenths milliliter of blood, method for, 648

Achylia gastrica, etiologic relationship of, to pernicious anemia, observations on. XV. Hematopoietic effects of simultaneous intravenous and of simultaneous or serial oral administration of intrinsic factor and vitamin B_{12}, 363

Acid phosphatase activity, determination of serum, 825

Acidity, gastric, effect of, on absorption of quinidine sulfate from gastrointestinal tract, 929

Acne vulgaris, mechanism of, relation of life stress and emotions to human sebum secretion and to, 11

ACTH administration during multiple sclerosis, blood cerebrospinal fluid barrier in, 754

Acute disseminated lupus erythematosus, leukocytes of, migration and oxidation-reduction activity of, 108

Adenosine-5-phosphoric acid, neutralization of aminopterin-induced leukopenia by, 931

Adrenal cortical function, effect of prolonged administration of epinephrine on, 865

Adrenalectomy, folinic acid, cortisone, and sulfhydryl groups, effects of, on urinary excretion of p-hydroxyphenyl compounds in tyrosyluria in scorbutic monkeys, 376

Adrenalin, intrarenal vascular responses to sympathetic stimulation and to, 871

Adrenocorticotropic hormone treatment of pneumoconioses and sarcoidosis, 448

Agglutination, cold, of sheep erythrocytes as factor in false-positive heterophile agglutination tests, 906

differential, fresh and stored dog erythrocytes measured by, post-transfusion survival of, 946

erythrocyte, and related phenomena, influence of antihistaminic agents on, 574

Agglutination—Cont'd

of dog erythrocytes, quantitative differential, a method of, 936

test for brucellosis, study of the rapid slide, and a comparison with the tube agglutination test, 776

tests, false-positive heterophile, cold agglutination of sheep erythrocytes as factor in, 906

Air-borne contamination in flame photometry, exclusion of, 303

Albumin tagged with I^{131}, plasma volume determination using human, laboratory factors influencing, 316

Alkaline phosphatase activity, serum, determination of, 819

Alloxan-Schiff and ninhydrin-Schiff staining, a new histochemical staining method for protein, 296

Amines, primary, studies on. I. Methods, 802

Aminopterin-induced leukopenia, neutralization of, by adenosine-5-phosphoric acid, 931

Amylase activity in serum and urine, simplified method for determination of, using glycogen and anthrone reagent, 655

Anaphylactic hypersensitivity, experimental cardiovascular and renal lesions of, effect of a bacterial pyrogen upon, 559

Anemia associated with chronic renal disease, use of cobaltous chloride in, 56

autoimmune hemolytic, red cells in, antibodies eluted from, studies on, 887

pernicious, etiologic relationship of Achylia gastrica to, observations on. XV. Hematopoietic effects of simultaneous intravenous and of simultaneous or serial oral administration of intrinsic factor and vitamin B_{12}, 363

maintenance therapy of, with vitamin B_{12}, 65

Antibiotic agents, sensitivity of Micrococcus pyogenesis to various, recent changes in, 150

Antibiotics, combinations of, cross-resistance in staphylococci and the effect of, on resistant strains, 550

Antibodies eluted from red cells in autoimmune hemolytic anemia, studies on, 887

Antibody, anti-D in serum of D^u patient, 895

titrations, hemagglutination-inhibition or complement fixation, purification and stabilization of influenza virus antigens for use in, 290

Antigen production, complement fixation, variation in, by different strains of Histoplasma capsulatum grown on two media, 91

Antigens, influenza virus, purification and stabilization of, for use in hemagglutination-inhibition or complement fixation antibody titrations, 290

Antihemophilic activities, measurement of, 849

factor, effect of, on one-stage clotting tests, 637

Antihistaminic agents, influence of, on erythrocyte agglutination and related phenomena, 574

Anti-sheep hemolysin, production of, procedure for, 653

Arsenic^{76}, biological studies with. IV. The histopathologic effect of arsenic^{76} upon the hematopoietic tissues of patients with leukemia, 499

Arterial pressure in unanesthetized rat, graphic measurement of, 729

Artery, pulmonary, idiopathic congenital dilatation of, 697

Arthritis, rheumatoid, serological reactions in. IV. Persistence of the serum factor which agglutinates sensitized sheep cells, 880

Ashby and total red cell counts, photographic method for enumeration of, 796

Assay of staphylococcal enterotoxin by monkey-feeding test, observations on, 782

of streptokinase, quantitative, 812

Asthma, bronchial, bronchospirometry before surgery designed to improve, 465

unilateral pulmonary insufficiency due to, 446

chronic, epinephrine tolerance in, 865

Atelectasis, extensive unilateral, patients with, studied before and after electrophrenic respiration, 447

Atherosclerosis, tendency to, beneficial effects of intermittent dietary regimes on, 587

Aureomycin and whole blood treatment of acute radiation syndrome in dogs, 918

for hepatic disease, nitrogen metabolism and liver histology during administration of, 596

Micrococcus pyogenes sensitivity to, 152

recovery of, from gastrointestinal tract following intravenous administration, 670

Autoimmune hemolytic anemia, antibodies eluted from red cells in, studies on, 887

Autonomic nerve surgery in treatment of bronchial asthma, 451

B

Bacterial pyrogen, effect of a, upon experimental cardiovascular and renal lesions of anaphylactic hypersensitivity, 559

Basal metabolic rate, measurement of, urinary pigment-creatinine ratio for, further observations on use of, 220

Bedridden patients, accurate weighing of, a stretcher-scale for, 300

Benzidine reaction, quantitative determination of plasma hemoglobin by, 307

Bilateral disease, bronchospirometry before pulmonary surgery in, 467

Bile fistulas, euthyroids with, urinary and fecal excretion of I^{131} from labeled sodium-l-thyroxine in various thyroid states and in, 676

Bilirubin and protein in cerebrospinal fluid of jaundiced patients with severe liver disease, with and without hepatic coma, 615

Biochemical changes in serum and feces during ingestion of carboxylic, sulfonic, and anion exchange resins, 236

fluids, nitrates in, Brucine method for determination of, a rapid modification of, 963

studies with arsenic^{76}. IV. The histopathologic effect of arsenic^{76} upon the hematopoietic tissues of patients with leukemia, 499

Bleeding monkeys, method for, using an intra-aortic polyethylene catheter, 335

Blood, acetone in two-tenths milliliter of, method for determination of, 648

cerebrospinal fluid barrier in multiple sclerosis during ACTH administration, 754

donors, plasma and erythrocyte sodium and potassium concentrations in a group of Southern white and Negro, 258

extravascular diffusion of dextran from, 421

osmotic pressure, changes in, effect of, on cerebrospinal fluid pressure, 543

serum magnesium in portal cirrhosis and diabetes mellitus, 215

sugar, rate of decline of, effect of varying insulin dosages on, in modified glucose insulin tolerance test, 684

volume method, improved, utilizable even in presence of hemolysis and/or lipemia, 789

pulmonary, measurement of cardiac output and the so-called, by the dye-dilution method, evaluation of, 29

whole, and Aureomycin treatment of acute radiation syndrome in dogs, 918

Body fluids, electrophoresis of, in filter paper, 188

quantitating 1-hydrazinophthalazine in, method of, 566

Bone marrow in metastatic malignant melanoma, 526

Brain fraction, effect of, on serum cholesterol and the serum lipid pattern, 583
Bronchial asthma, bronchospirometry before surgery designed to improve, 465
unilateral pulmonary insufficiency due to, 446
disease, bronchospirometry in, 443
Bronchiectasis, cylindrical, postural drainage and chemotherapy in, 448
unilateral pulmonary insufficiency due to, 446
Bronchospirometry after collapse therapy, 449
after surgical treatment, 448
VI. Results of 1,089 examinations, 436
VII. Indications, 456
Brucellosis, agglutination test for, study of the rapid slide, and a comparison with the tube agglutination test, 776
Brucine method for determination of nitrates in biological fluids, a rapid modification of, 963

C

Cardiac output, measurement of, and of so-called pulmonary blood volume by the dye-dilution method, evaluation of, 29
Cardiovascular and renal lesions of anaphylactic hypersensitivity, experimental, effect of a bacterial pyrogen upon, 559
Catheter, intra-aortic polyethylene, bleeding monkeys with, method for, 335
Cation metabolism of human erythrocytes in vitro, comparison of potassium^{42}, rubidium^{86}, and cesium^{134} as tracers of potassium in study of, 351
Central nervous system, viral involvement of, cerebrospinal fluid inorganic phosphorus in, 745
Central Society for Clinical Research, early history of, 3
Cerebrospinal fluid, bilirubin and protein in, of jaundiced patients with severe liver disease, with and without hepatic coma, 615
inorganic phosphorus in normal individuals and in those with viral involvement of the central nervous system, 745
pressure, effect of changes in blood osmotic pressure on, the mechanism of, 543
mechanism of change in, following an induced change in the volume of the fluid space, 428
sodium values in essential hypertension, 287
Cesium^{134}, potassium^{42}, and rubidium^{86} as tracers of potassium, comparison of, in study of cation metabolism of human erythrocytes in vitro, 351
Chemical fractionation, estimation of gamma-globulins in normal and myelomatous plasmas by, 248
Cholesterol content and iodine number of human sebum, 199
serum, and serum lipid pattern, effect of brain fraction on, 583
direct determination of, new method for, 486
Cirrhosis, portal, blood serum magnesium in, 215
Clinical laboratory studies in experimentally-induced epidemic nonbacterial gastroenteritis, 133
Research, Central Society for, early history of, 3
Clotting tests, one-stage, effect of antihemophilic factor on, 637
Coagulation, effect of surgery on, 773
time of hospitalized and normal patients, 772
problems of, a rational approach to, 767
Cobaltous chloride, use of, in anemia associated with chronic renal disease, 56
Cold agglutination of sheep erythrocytes as factor in false-positive heterophile agglutination tests, 906
hemagglutinins in frostbite, role of, 114
Collapse therapy, bronchospirometry after, 449
Colloidal Au^{198}, intracavitary administration of, in human beings, cellular changes in effusions following, 760
Complement fixation antibody titrations, purification and stabilization of influenza virus antigens for use in, 290
antigen production, variation in, by different strains of Histoplasma capsulatum grown on two media, 91
Congestive heart failure, metabolism of water and electrolytes in. I. The electrolyte and water content of normal human skeletal muscle, 281
II. The distribution of water and electrolytes in skeletal muscle in edematous patients with congestive heart failure before and after treatment, 405
Contact factors influencing coagulation time, 769
Copper metabolism, studies on. VIII. The correlation between the serum copper level and various serum protein fractions, 829
Coproporphyrin excretion, urinary, normal limits of, determined by an improved method, 663
Cortisone, effect of large doses of, on testicular morphology and urinary gonadotrophin, estrogen, and 17-ketosteroid excretion, 608
folinic acid, adrenalectomy, and sulfhydryl groups, effects of, on urinary excretion of p-hydroxy-phenyl compounds in tyrosyluria in scorbutic monkeys, 376

Counter, an accumulating impulse, 166
sodium iodide scintillation, performance of, in measurement of I^{131} uptake by the thyroid, 179
Creatinine, in nonprotein nitrogen, methods measuring, evaluation of, 323
in plasma and urine, determination of, in presence of large amounts of phenol red, 312
Cross-resistance in staphylococci, and effect of combinations of antibiotics on resistant strains, 550
Cytosiderosis, malnutritional, radioiron studies in, 836

D

Dental motor with a flexible shaft, standard, a method of shell freezing, utilizing the, 973
Depilated rat skin, effect of lanolin on, 913
Dextran, extravascular diffusion of, from blood, 421
Dextrose and ethylenediamine tetraacetic acid, erythrocytes stored in solution of, post-transfusion survival of, 84
Diabetes mellitus, blood serum in, 215
vibratory perception in subjects with and without, quantitative measurement of, 221
Dicumarol, hypoprothrombinemia induced by, comparative effects of menadione sodium bisulfite and vitamin K_1 on, 393
Dietary regimes, intermittent, beneficial effects of, on tendency to atherosclerosis, 587
Differential agglutination of dog erythrocytes, a method of quantitative, 936
fresh and stored, measured by, post-transfusion survival of, 946
Dilatin and N-methyl-5-phenylsuccinide, combined anticonvulsant activity and toxicity of, 78
Dog erythrocytes, fresh and stored, post-transfusion survival of, measured by differential agglutination, 946
quantitative differential agglutination of, a method for, 936
gastric motility in, effect of hypothyroidism on, method for determination of, 659
Douglas-type bag, permeability of, to respiratory gases, 268
D^u patient, anti-D antibody in serum of, 895
Dye-dilution method of measurement of cardiac output and so-called pulmonary blood volume, an evaluation of, 29
Dyspnea, bronchospirometry before surgery in patients complaining of, 463

E

Effusions, cellular changes in, following intracavitary administration of colloidal Au^{198} in human beings, 760
Electrolytes, excretion of water and, in essential hypertension, 43
metabolism of water and, in congestive heart failure. I. The electrolyte and water content of normal human skeletal muscle, 281
II. The distribution of water and electrolytes in skeletal muscle in edematous patients with congestive heart failure before and after treatment, 405
Electrophoresis, filter paper, with special reference to urinary proteins, 619
of serum and other body fluids, 188
paper, identification of abnormal hemoglobins by means of, 161
Electrophrenic respiration, patients with extensive unilateral atelectasis studied before and after, 447
Emotions, life stress and, relation of, to human sebum secretion and to mechanism of acne vulgaris, 11
Enterotoxin, staphylococcal, assay of, by monkey-feeding test, observations on, 782
Enzymic reduction to nitrite, quantitative determination of nitrate by, 157
Epidemic nonbacterial gastroenteritis, experimentally-induced, clinical laboratory studies in, 133
Epinephrine, effect of prolonged administration of, on adrenal cortical function and epinephrine tolerance in chronic asthmatics, 865
tolerance in chronic asthmatics, 865
Erythrocyte agglutination and related phenomena, influence of anti-histaminic agents on, 574
and plasma sodium and potassium concentrations in blood donors, 258
Erythrocytes, cation metabolism of human, in vitro, comparison of potassium^{42}, rubidium^{86}, and cesium^{134} as tracers of potassium in study of, 351
dog, fresh and stored, measured by differential agglutination, post-transfusion survival of, 946
quantitative differential agglutination of, method of, 936
metabolism of sodium by human, using sodium, in vitro studies of aspects of, 337
post-transfusion survival of, stored in solution of ethylenediamine tetraacetic acid and dextrose, 84
sheep, cold agglutination of, as factor in false-positive heterophile agglutination tests, 906
Erythromycin, Micrococcus pyogenes sensitivity to, 152
Erythrophagocytosis, standardization of a quantitative tissue culture test and its application to hemolytic, malignant, and infectious diseases, 169

Ethylenediamine tetraacetic acid and dextrose, erythrocytes stored in solution of, post-transfusion survival of, 84
Euthyroids with "bile fistulas," urinary and fecal excretion of I^{131} from labeled sodium-l-thyroxine in various thyroid states and in, 676
Evans blue dye blood volume method utilizable even in presence of hemolysis and/or lipemia, 789
Exchange resins, carboxylic, sulfonic, and anion, biochemical changes in serum and feces during ingestion of, 236
Experimental renal hypertension, treatment and prophylaxis of, with "renin," 708
Experimentally-induced epidemic nonbacterial gastroenteritis, clinical laboratory studies in, 133
Extravascular diffusion of dextran from blood, 421

F

False-positive heterophile agglutination tests, cold agglutination of sheep erythrocytes as factor in, 906
Fat, iodine-labeled, radioactive, 521
Feces, biochemical changes in serum and, during ingestion of carboxylic, sulfonic, and anion exchange resins, 236
Filter paper, electrophoresis of serum and other body fluids in, 188
with special reference to urinary proteins, 619
Flame, photometry, air-borne contamination in, exclusion of, 303
Flotation method in isolation of Histoplasma capsulatum from soil, efficiency of, 478
Folinic acid, cortisone, adrenalectomy, and sulfhydryl groups, effects of, on urinary excretion of p-hydroxyphenyl compounds in scorbutic monkeys, 376
Frostbite, cold hemagglutinins in, role of, 114

G

Gamma globulin, human, prevention of paralytic poliomyelitis in tonsillectomized cynomolgus monkeys by, 142
Gamma-globulins, estimation of, by chemical fractionation, in normal and myelomatous plasmas, 248
Gases, respiratory, permeability of Douglas-type bag to, 268
Gastric acidity, effect of, on absorption of quinidine sulfate from the gastrointestinal tract, 929
motility in dog, effect of hypothyroidism on, method for determination of, 659
Gastroenteritis, experimentally-induced epidemic nonbacterial, clinical laboratory studies in, 133
Gastrointestinal tract, absorption of quinidine sulfate from, effect of gastric acidity on, 929
recovery of Aureomycin from, following intravenous administration, 670
Glucose insulin tolerance test, rate of decline of blood sugar in the modified, effect of varying insulin dosages on, 684
Gonadotrophin, estrogen, and 17-ketosteroid, urinary excretion of, effect of large doses of cortisone on testicular morphology and, 608

H

Heart failure, congestive, metabolism of water and electrolytes in. I. The electrolyte and water content of normal human skeletal muscle, 281
II. The distribution of water and electrolytes in skeletal muscle in edematous patients with congestive heart failure before and after treatment, 405
Hemagglutination test, Middlebrook-Dubos, evaluation of, 98
Hemagglutination-inhibition antibody titrations, purification and stabilization of influenza virus antigens for use in, 290
Hemagglutinins, cold, in frostbite, role of, 114
Hematopoietic tissues of patients with leukemia, histopathologic effect of arsenic^{76} upon, 499
Hemochromatosis, idiopathic, radioiron studies in, 836
Hemoglobin, plasma, quantitative determination of, by benzidine reaction, 307
Hemoglobins, abnormal, identification of, by means of paper electrophoresis, 161
Hemolytic anemia, autoimmune, antibodies eluted from red cells in, studies on, 887
diseases, erythrophagocytosis and, standardization of a quantitative tissue culture test and its application to, 169
plasma reagent, 852
Hemophilia, presumptive test for, and a simple one-stage antihemophilic factor assay procedure, 637
Hemosiderosis, transfusional, radioiron studies in, 836
Heparin, effect of, on formation of P^{32}-labeled phospholipid, 899
Heparinoid, Treburon, a new, effect of, in man, 208
Hepatic coma, jaundiced patients with severe liver disease with and without, bilirubin and protein in cerebrospinal fluid of, 615

Hepatic—Cont'd
disease, Aureomycin for, nitrogen metabolism and liver histology during, 596
Heterophile agglutination tests, false-positive, cold agglutination of sheep erythrocytes as factor in, 906
Histochemical staining method for protein, 296
Histoplasma capsulatum, different strains of, grown on two media, variation in complement fixation antigen production by, 91
laboratory studies of. III. Efficiency of the flotation method in isolation of Histoplasma capsulatum from soil, 478
History, early, of Central Society for Clinical Research, 3
Horse plasma reagent, 850
1-Hydrazinophthalazine, quantitating, in body fluids, method of, 566
Hydrogen ion concentration, changes in, during coagulation, 767
Hypertension, essential, cerebrospinal fluid sodium values in, 287
excretion of water and electrolytes in, 43
experimental renal, treatment and prophylaxis of, with "renin," 708
Hyperventilation relative to oxygen uptake and "paradoxical" hyperventilation, 445
Hypoprothrombinemia induced by Dicumarol, comparative effects of menadion sodium bisulfite and vitamin K_1 on, 393
Hypothyroidism, effect of, on gastric motility in the dog, method for determination of, 659

I

Idiopathic congenital dilatation of the pulmonary artery, 697
hemochromatosis, radioiron studies in, 836
Infectious diseases, erythrophagocytosis and, standardization of a quantitative tissue culture test and its application to, 169
Influenza virus antigens, purification and stabilization of, for use in hemagglutination-inhibition or complement fixation antibody titrations, 290
Infused inulin in human subjects, failure to account quantitatively for, 690
Inorganic phosphorus, cerebrospinal fluid, in normal individuals and in those with viral involvement of the central nervous system, 745
Insulin dosages, effect of varying, on rate of decline of blood sugar in modified glucose insulin tolerance test, 684
Intra-aortic polyethylene catheter, bleeding monkeys with, method for, 335
Intrarenal vascular responses to sympathetic stimulation and to adrenalin, 871
Inulin, infused, in human subjects, failure to account quantitatively for, 690
Iodine number of human sebum, cholesterol content and, 199
I^{131} from labeled sodium-l-thyroxine, urinary and fecal excretion of, from various thyroid states and in euthyroids with "bile fistulas," 676
human albumin tagged with, laboratory factors influencing determination of plasma volume using, 316
organic fraction of, rate of formation of, in plasma correlated with apparent thyroid state, 516
uptake by thyroid, measurement of, performance of a sodium iodide scintillation counter in, 179
Iodine-labeled fat, radioactive, 521
Ion exchange, improved total base determination in serum, urine, and tissue ash by, 968
Iron, absorption of; radioiron studies in idiopathic hemochromatosis malnutritional cytosiderosis, and transfusional hemosiderosis, 836
Irradiation, effects of, upon growth and development of mouse, 534

J

Jaundice, cerebrospinal fluid of patients with, bilirubin and protein in, 615

L

Laboratory factors influencing plasma volume determination using human albumin tagged with I^{131}, 316
methods, 157, 290, 478, 648, 789, 953
studies, clinical, in experimentally-induced epidemic nonbacterial gastroenteritis, 133
Histoplasma capsulatum. III. Efficiency of the flotation method in isolation of Histoplasma capsulatum from soil, 478
Lanolin, effect of, on depilated rat skin, 913
Letter from the editors, 1
Leukemia, hematopoietic tissues of patients with, histopathologic effect of arsenic^{76} upon, 499
Leukocytes of acute disseminated lupus erythematosus patients, migration and oxidation-reduction activity of, 108
tuberculin-exposed, plasma levels and release of a lysozyme-like enzyme from, 632
Leukopenia, aminopterin-induced, neutralization of, by adenosine-5-phosphoric acid, 931
Life stress and emotions, relation of, to human sebum secretion and to mechanism of acne vulgaris, 11
Lipids, serum, variations of, with age, 738
Liver disease, Aureomycin for, nitrogen metabolism and liver histology during, 596

Liver disease—Cont'd
cerebrospinal fluid of jaundiced patients with severe, bilirubin and protein in, 615
histology and nitrogen metabolism during Aureomycin administration for hepatic disease, 596
L-tyrosine, metabolism of, in scorbutic monkeys, further studies on, 376
Lund abscess, unilateral pulmonary insufficiency due to, 446
Lupus erythematosus, acute disseminated, leukocytes of, migration and oxidation-reduction activity of, 108
Lysozyme-like enzyme, release of, plasma levels and, from tuberculin-exposed leukocytes, 632

M

Magnesium, blood serum, in portal cirrhosis and diabetes mellitus, 215
Malignant diseases, erythrophagocytosis and, standardization of a quantitative tissue culture test and its application to, 169
Malnutritional cytosiderosis, radioiron studies in, 836
Measurement, graphic, of arterial pressure in unanesthetized rat, 729
Medicine, teachers of, 6
Melanoma, metastatic malignant, bone marrow in, 526
Menadione sodium bisulfite and vitamin K_1, comparative effects of, on hypoprothrombinemia induced by Dicumarol, 393
Metabolism, copper, studies on. VII. The correlation between the serum copper level and various serum protein fractions, 829
nitrogen, and liver histology during Aureomycin administration for hepatic disease, 596
of l-tyrosine in scorbutic monkeys, further studies on, 376
of sodium by human erythrocytes using sodium, in vitro studies of aspects of, 337
of water and electrolytes in congestive heart failure. I. The electrolyte and water content of normal human skeletal muscle, 281
II. The distribution of water and electrolytes in skeletal muscle in edematous patients with congestive heart failure before and after treatment, 405
Metastatic malignant melanoma, bone marrow in, 526
Methods of elution, 888
Micrococcus pyogenesis, sensitivity of, to various antibiotic agents, recent changes in, 150
Middlebrook-Dubos hemagglutination test, evaluation of, 98
Monkey-feeding test, assay of staphylococcal enterotoxin by, observations on, 782
Monkeys, bleeding, with intra-aortic polyethylene catheter, method for, 335
scorbutic, metabolism of l-tyrosine in, further studies on, 376
Mouse, development of, influence of roentgen rays upon, by local irradiation of some parts of the body, 534
Multiple sclerosis, blood cerebrospinal fluid barrier in, during ACTH administration, 754
Muscle, electrolyte and water content of normal human skeletal, 281
skeletal, in edematous patients with congestive heart failure, distribution of water and electrolytes in, before and after treatment, 405

N

Neoplasm, pulmonary, unilateral pulmonary insufficiency due to, 446
Ninhydrin-Schiff and alloxan-Schiff staining, a new histochemical staining method for protein, 296
Nitrate, quantitative determination of, by enzymic reduction to nitrite, 157
Nitrates in biological fluids, Brucine method for determination of, a rapid modification of, 963
determination of, in absence of nitrites, 963
in presence of nitrites, 966
Nitrite, enzymic reduction to, quantitative determination of nitrate by, 157
Nitrogen metabolism and liver histology during Aureomycin administration for hepatic disease, 596
nonprotein, studies in. III. Evaluation of methods measuring creatinine, 323
N-methyl-5-phenylsuccinimide, Dilantin and, combined anticonvulsant activity and toxicity of, 78
Nonprotein nitrogen, studies in. III. Evaluation of methods measuring creatinine, 323

O

One-stage clotting tests, effect of antihemophilic factor on, 637
Organic fraction of I^{131} in plasma, rate of formation of, correlated with apparent thyroid state, 516

P

Pancreas, effect of prolonged administration of radioactive $zinc^{65}$ on, 40
Paper electrophoresis, identification of abnormal hemoglobins by means of, 161
Paralytic poliomyelitis, prevention of, in tonsillectomized cynomolgus monkeys by human gamma globulin, 142

Parenchymal disease, bronchospirometry in, 439
Parotid saliva, human, device for collection of, 493
Penicillin action, duration of, in relation to its concentration in the serum, 122
Micrococcus pyogenes sensitivity to, 152
Permeability of Douglas-type bag to respiratory gases, 268
Pernicious anemia, etiologic relationship of Achylia gastrica to, observations on. XV. Hematopoietic effects of simultaneous intravenous and of simultaneous or serial oral administration of intrinsic factor and vitamin B_{12}, 363
maintenance therapy of, with vitamin B_{12}, 65
Phenol red, determination of creatinine in plasma and urine in presence of large amounts of, 312
Phosphatase activity, serum acid, determination of, 825
serum alkaline, determination of, 819
Phospholipid, P^{32}-labeled, formation of, effect of heparin on, 899
Photographic method for enumeration of Ashby and total red cell counts, 796
for recording red cell counts, 953
Photometry, flame, air-borne contamination in, exclusion of, 303
Plasma and erythrocyte sodium and potassium concentrations in blood donors, 258
and urine, creatinine in, determination of, in presence of large amounts of phenol red, 312
hemoglobin, quantitative determination of, by benzidine reaction, 307
levels and release of lysozyme-like enzyme from tuberculin-exposed leukocytes, 632
organic fraction of I^{131} in, rate of formation of, correlated with apparent thyroid state, 516
thromboplastic factors and profactors in, measurement of. I. Deficits in thromboplastin. Study of reagents. Measurement of antihemophilic and of platelet activities, 849
volume determination of, using albumin tagged with I^{131}, laboratory factors influencing, 316
Plasmas, normal and myelomatous, estimation of gamma-globulins in, by chemical fractionation, 248
Platelet activities, measurement of, 849
reagent, 852
Pleural disease and pleural complications, bronchospirometry in, 440
PM334 and Dilantin, combined anticonvulsant activity and toxicity of, 78
Pneumoconioses treated with adrenocorticotropic hormone, 448
Poliomyelitis, paralytic, prevention of, in tonsillectomized cynomolgus monkeys by human gamma globulin, 142
Portal cirrhosis, blood serum magnesium in, 215
Post-transfusion survival of fresh and stored dog erythrocytes measured by differential agglutination, 946
Potassium, tracers of, comparison of potassium^{42}, ribidium^{86}, and cesium^{134} as, in study of cation metabolism of human erythrocytes in vitro, 351
Pressure, cerebrospinal fluid, effect of changes in blood osmotic pressure on, the mechanism of, 543
mechanism of change in, following an induced change in the volume of fluid space, 428
Protein, histochemical staining method for, a new, 296
urine, filter paper electrophoresis with special reference to, 619
Pulmonary arterial obstruction, bronchospirometry in, 444
artery, idiopathic congenital dilatation of, 697
blood volume, measurement of cardiac output and the so-called, by the dye-dilution method, evaluation of, 29
cysts, unilateral pulmonary insufficiency due to, 447
emphysema, bronchospirometry before surgery designed to improve, 465
unilateral pulmonary insufficiency due to, 446
fibrosis, bronchospirometry before surgery designed to improve, 465
neoplasm, unilateral pulmonary insufficiency due to, 446
resection, bronchospirometry before and after, 450
surgery, reconstructive, 450
tuberculosis, unilateral pulmonary insufficiency due to, 445
Pyrogen, bacterial, effect of a, upon experimental cardiovascular and renal lesions of anaphylactic hypersensitivity, 559

Q

Quantitating 1-hydrazinophthalazine in body fluids, a method for, 566
Quinidine sulfate, absorption of, from gastrointestinal tract, effect of gastric acidity on, 929

R

Radiation syndrome in dogs, treatment of acute, with Aureomycin and whole blood, 918
Radioactive iodine-labeled fat, 521
zinc^{65}, prolonged administration of, effect of, on pancreas, 40

Radioiron studies in idiopathic hemocromatosis, malnutritional cytosiderosis, and transfusional hemosiderosis, 836
Rat skin, strontium sulfied depilation of, and effect of lanolin on depilated skin, 913
Reagents, study of, 849
Reconstructive chest surgery, bronchospirometry to evaluate success of, 474
pulmonary surgery, 452
Recording red cell counts, photographic method of, 953
Red cell counts, Ashby and total, photographic method for enumeration of, 796
photographic method of recording, 953
in autoimmune hemolytic anemia, antibodies eluted from, studies on, 887
"Relative craniospinal blood volume," effect of peroral water and intravenous hypertonic glucose on the cerebrospinal fluid and jugular venous pressures and the, 544
Renal disease, chronic, anemia associated with, use of cobaltous chloride in, 56
hypertension, experimental treatment and prophylaxis of, with "renin," 708
"Renin," treatment and prophylaxis of experimental renal hypertension with, 708
Research, Clinical, Central Society for, early history of, 3
Resins, carboxylic, sulfonic, and anion exchange, biochemical changes in serum and feces during ingestion of, 236
Respiratory gases, permeability of Douglas-type bag to, 268
Rheumatoid arthritis, serological reactions in. IV. Persistence of serum factor which agglutinates sensitized sheep cells, 880
Roentgen rays, influence of, upon development of mouse by local irradiation of some parts of the body, 534
Rubidium^{86}, potassium^{42}, and cesium^{134} as tracers of potassium, comparison of, in study of cation metabolism of human erythrocytes in vitro, 351

S

Saliva, human parotid, device for collection of, 493
Sarcoidosis treated with adrenocorticotropic hormone, 448
Sclerosis, multiple, blood cerebrospinal fluid barrier in, during ACTH administration, 754
Scorbutic monkeys, metabolism of l-tyrosine in, further studies on, 376
Seasonal variation in urinary coproporphyrin excretion, 667
Sebum, cholesterol content and iodine number of human, 199
secretion, human, relation of life stress and emotions to mechanism of acne vulgaris and, 11
Sensitivity of Micrococcus pyogenesis to various antibiotic agents, recent changes in, 150
Serological reactions in rheumatoid arthritis. IV. Persistence of the serum factor which agglutinates sensitized sheep cells, 880
Serum acid phosphatase activity, determination of, 825
alkaline phosphatase activity, determination of, 819
and feces, biochemical changes in, during ingestion of carboxylic, sulfonic, and anion exchange resins, 236
and urine, amylase activity in, simplified method for determination of, using glycogen and anthrone reagent, 655
anti-D antibody in, of D^u patient, 895
cholesterol and the serum lipid pattern, effect of brain fraction on, 583
direct determination of, new method for, 486
copper level, correlation between the, and various serum protein fractions, 829
electrophoresis of, in filter paper, 188
lipids, variations of, with age, 738
penicillin concentration in, duration of penicillin action in relation to, 122
protein fractions, correlation between the serum copper level and various, 829
urine, and tissue ash, improved total base determination in, by ion exchange, 968
Sex differences in urinary coproporphyrin excretion, 667
Sheep erythrocytes, cold agglutination of, as factor in false-positive heterophile agglutination tests, 906
Shell freezing, a method of, utilizing the standard dental motor with a flexible shaft, 973
Skeletal muscle of edematous patients with congestive heart failure, distribution of water and electrolytes in, before and after treatment, 405
Skin, strontium sulfide depilation of rat, and effect of lanolin on depilated skin, 913
Sodium cerebrospinal fluid in essential hypertension, 287
chloride solutions, range of efficacy of, in treating severe thermal injury in the rat, 416
iodide scintillation counter, performance of a, in measurement of I^{131} uptake by the thyroid, 179
metabolism of, by human erythrocytes using sodium, in vitro studies of aspects of, 337
urinary, rapid determination of, 959

Sodium-l-thyroxine, I^{131} from labeled, urinary and fecal excretion of, in various thyroid states and in euthyroids with "bile fistulas," 676
Soil, isolation of Histoplasma capsulatum from, efficiency of flotation method in, 478
Spectrophotometry, ultraviolet, uric acid determination by, new method for preparing a highly purified uricase suitable for, 497
Staining method for protein, a new histochemical, 296
ninhydrin-Schiff and alloxan-Schiff, a new histochemical staining method for protein, 296
Staphylococcal enterotoxin, assay of, by the monkey-feeding test, observations on, 782
Staphylococci, cross-resistance in, and the effect of combinations of antibiotics on resistant strains, 550
Streptokinase, quantitative determination of, 812
Streptomycin, Micrococcus pyogenes resistance to, 152
Stretcher-scale for accurate weighing of bedridden patients, 300
Strontium sulfide depilation of rat skin and effect of lanolin on depilated skin, 913
Sulfhydryl, folinic acid, cortisone, and adrenalectomy groups, effects of, on urinary excretion of p-hydroxyphenyl compounds in tyrosyluria in scorbutic monkeys, 376
Surgery, effect of, on coagulability, 773
Surgical indications for bronchospirometry, 458
Sympathetic stimulation, intrarenal vascular responses to, and to adrenalin, 871

T

Teachers of medicine, 6
Temperature, effect of, on coagulation time, 768
Terramycin, Micrococcus pyogenes sensitivity to, 152
Testicular morphology and urinary gonadotrophin, estrogen, and 17-ketosteroid excretion, effect of large doses of cortisone on, 608
Thermal injury in rat, severe, range of efficacy of sodium chloride solutions in treating, 416
Thromboplastic factors and profactors in plasma, measurement of. I. Deficits in thromboplastin. Study of reagents. Measurement of antihemophilic and of platelet activities, 849
Thromboplastin, deficits in, 849
Thyroid, I^{131} uptake by, performance of a sodium iodide scintillation counter in measurement of, 179
Thyroid—Cont'd
state, rate of formation of organic fraction of I^{131} in plasma correlated with apparent, 519
states, urinary and fecal excretion of I^{131} from labeled sodium-l-thyroxine in various, and in euthyroids with "bile fistulas," 676
Tissue ash, serum, and urine, improved total base determination in, by ion exchange, 968
culture test, standardization of a quantitative, and its application to hemolytic, malignant, and infectious diseases, 169
Tonsillectomized cynomolgus monkeys, prevention of paralytic poliomyelitis in, by human gamma globulin, 142
Transfusional hemosiderosis, radioiron studies in, 836
Treburon, a new heparinoid, effect of, in man, 208
Tube agglutination test for brucellosis, study of the rapid slide agglutination test and a comparison with the, 776
Tuberculin-exposed leukocytes, plasma levels and release of a lysozyme-like enzyme from, 632
Tuberculosis, pulmonary, unilateral pulmonary insufficiency due to, 445

U

Ultraviolet spectrophotometry, uric acid determination by, new method for preparing a highly purified uricase suitable for, 497
Unanesthetized rat, arterial pressure in, graphic measurement of, 729
Uric acid determination by ultraviolet spectrophotometry, new method for preparing a highly purified uricase suitable for, 497
Urinary and fecal excretion of I^{131} from labeled sodium-l-thyroxine in various thyroid states and in euthyroids with "bile fistulas," 676
coproporphyrin excretion, normal limits of, determined by an improved method, 663
excretion of gonadotrophin, estrogen, and 17-ketosteroid, effect of large doses of cortisone on testicular morphology and, 608
of p-hydroxyl-phenyl compounds in tyrosyluria in scorbutic monkeys, effect of folinic acid, cortisone, adrenalectomy, and sulfhydryl groups on, 376
pigment-creatinine ratio for measurement of basal metabolic rate, further observations on use of, 220
proteins, filter paper electrophoresis with special reference to, 619
sodium, rapid determination of, 959

Urine and serum amylase activity in, simplified method for determination of, using glycogen and anthrone reagent, 655
creatinine in plasma and, determination of, in presence of large amounts of phenol red, 312
serum, and tissue ash, improved total base determination in, by ion exchange, 968

V

Vascular responses, intrarenal, to sympathetic stimulation and to adrenalin, 871
Vibratory perception, quantitative measurement of, in subjects with and without diabetes mellitus, 221
Viral involvement of central nervous system, cerebrospinal fluid inorganic phosphorus in, 745
Vitamin B_{12}, hematopoietic effects of simultaneous intravenous and of simultaneous serial oral administration of intrinsic factor and, on pernicious anemia, 363
maintenance therapy of pernicious anemia with, 65
Vitamin—Cont'd
K_1 and menadione sodium bisulfite, comparative effects of, on hypoprothrombinemia induced by Dicumarol, 393
Volume of cerebrospinal fluid space, mechanism of change in cerebrospinal fluid pressure following an induced change in, 428

W

Water and electrolytes, excretion of, in essential hypertension, 43
metabolism of, in congestive heart failure. I. The electrolyte and water content of normal human skeletal muscle, 281
II. The distribution of water and electrolytes in skeletal muscle in edematous patients with congestive heart failure before and after treatment, 405
Whole blood and Aureomycin treatment of acute radiation syndrome in dogs, 918

Z

$Zinc^{65}$, radioactive, prolonged administration of, effect of, on pancreas, 40

The Journal of Laboratory and Clinical Medicine

EDITOR

CLAYTON G. LOOSLI, M.D.

ASSOCIATE EDITOR

MATTHEW BLOCK, M.D.

University of Chicago School of Medicine
950 East 59th Street
Chicago 37, Ill.

BOARD OF EDITORS

S. HOWARD ARMSTRONG, JR., M.D.
Presbyterian Hospital, Chicago

WILLIAM B. BEAN, M.D.
University of Iowa School of Medicine, Iowa City

KENNETH M. BRINKHOUS, M.D.
University of North Carolina, Chapel Hill

RICHARD B. CAPPS, M.D.
Northwestern University Medical School, Chicago

A. C. CORCORAN, M.D.
Cleveland Clinic, Cleveland

EUGENE B. FERRIS, M.D.
Grady Memorial Hospital, Atlanta

E. M. K. GEILING, M.D.
University of Chicago, Chicago

WENDELL H. HALL M.D.
University of Minnesota, Minneapolis

THOMAS H. HUNTER, M.D.
Washington University, St. Louis

LEON O. JACOBSON, M.D.
University of Chicago, Chicago

CARL V. MOORE, M.D.
Washington University, St. Louis

RANDALL G. SPRAGUE, M.D.
Mayo Clinic, Rochester

RICHARD W. VILTER, M.D.
University of Cincinnati, Cincinnati

VOLUME 41

JANUARY—JUNE, 1953

ST. LOUIS

THE C. V. MOSBY CO.

1953

Medical Library
610.5
J56
C12
v.41
no.2

Copyright, 1953, By The C. V. Mosby Co.

(All rights reserved)

Printed in the
United States of America

Press of
The C. V. Mosby Company
St. Louis